

# H3061P 230Vac/8A

Model: H3061P

Temperature and Humidity sensor  
 bar 1 or 2 or 4  
 ...



...

...	250Vac, 8A
...	...
...	0 to 100%
...	±2.5% ... 5 to 95% at 23°C
...	±0.4°C -30 to +100°C ±0.4% from reading over +100°C
...	...
...	-30 to +80°C
...	1.5°C ... +10°C ... +25°C
...	2.0°C ... +0°C ... +25°C
...	3.0°C ... -10°C ... +25°C
...	6.0°C ... -20°C ... +25°C
...	±1.5g/m <sup>3</sup> ... T < 25°C ... 0 to 400 g/m <sup>3</sup>
...	±2g/kg ... T < 35°C ... 0 to 550 g/kg
...	±2g/kg ... T < 35°C ... 0 to 995 g/kg
...	±3kJ/kg ... T < 25°C ... 0 to 995 kJ/kg
...	-30 to +80°C
LCD ...	... +70°C ... +70°C ... LCD
...	-30 to +125°C
...	0.025mm - ...
IP ...	IP65 ... , IP40 ...
...	110 to 240V / 50Hz to 60Hz
...	230 VAC - ... 70 mA, 115 VAC - ... 120 mA
...	G1/2" O
...	1m, 2m or 4m
...	136 x 161 x 45 mm (W x H x D), ... 150 mm, ... 18mm
...	... 490g - 1m

